

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/312532182>

REVIEW: LIST OF MEDICINAL PLANTS FOR GASTRITIS

Article in *International Journal of Current Advanced Research* · December 2016

CITATIONS

0

READS

15,515

1 author:



Poojitha Mallapu

Jawaharlal Nehru Technological University, Anantapur

15 PUBLICATIONS 8 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



DEMOGRAPHIC AND CLINICAL ASPECTS OF TUBERCULOSIS: A CASE SERIES OF PATIENTS FROM IN-PATIENT DEPARTMENT OF A HOSPITAL [View project](#)



pharmacological screening [View project](#)



ISSN: 2319-6505

Available Online at <http://journalijcar.org>

International Journal of Current Advanced Research
Vol 5, Issue 12, pp 1570-1575, December 2016

**International Journal
of Current Advanced
Research**

ISSN: 2319 - 6475

REVIEW ARTICLE

REVIEW: LIST OF MEDICINAL PLANTS FOR GASTRITIS

Poojitha M*, Swarnalatha G and Meenakshi Sundaram R

Sri Venkateswara College of Pharmacy, RVS Nagar, Chittoor, Andhra Pradesh, 517127

ARTICLE INFO

Article History:

Received 15th September, 2016
Received in revised form 7th October, 2016
Accepted 16th November, 2016
Published online 28th December, 2016

Key words:

Gastro protective, Synthetic drug list, Adverse effects, Medicinal plants

ABSTRACT

As the gastritis is becoming a major health issue in now days. It is the common most condition and symptom associated with any kind of disease. Even though we have many allopathic drugs to treat the condition but it is not up to the mark. Whereas the condition is repetitive even though it is treated with different kinds of drugs with different drugs in different doses based on the patient condition. In spite of the available treatment there are many adverse effects of those conventional drugs available for treating the condition based on its root of cause. To overcome those adverse effects treatment with herbal medicine is suggested and that too people are choosing the home remedies including small and available herbs in their day to day life. In such a case the treatment for the condition with a non-adverse drugs or medications including plant extracts which has been practised in earlier days is most preferable. The present review focus on the list of conventional drugs available in the market along with their serious adverse effects and also the list of medicinal plants which can be used as an alternative of synthetic drugs without any adverse effects.

© Copy Right, Research Alert, 2016, Academic Journals. All rights reserved.

INTRODUCTION

Gastritis is considered as the most common digestive system disorder. This is defined as the discomfort of the digestive system occurred due to the eruption of stomach mucosa. Peptic ulcer affects approximately 10 % of the world's population^[1].

The evidenced causes of gastritis are

- Imbalance between protective and aggressive mechanisms of stomach (acid-pepsin, leukotriene and reactive oxygen species).
- Excessive administration of NSAIDs (non-steroidal anti-inflammatory drugs) and alcohol.
- Infection of Helicobacter pylori and
- Emotional stress.

The available therapy for treating gastric ulcers includes either control of the Helicobacter pylori or the control of the H⁺/K⁺-ATPase pump that can decrease the acid secretion, as well as the damage to mucosa. Many medications used for the treatment of this disease are not completely effective but in turn produces many adverse effects. However the prolonged usage of the available drugs may lead to series of adverse effects like thrombocytopenia, Hepato toxicity, Nephrotoxicity and impotency^[2].

Conventional drugs used for the treatment of ulcer and their ADR's

To overcome these adverse effects the alternative treatment method that can be chosen is usage of natural treatment with

the help of medicinal plants that can reduce or overcome the adverse effects caused by the available allopathic medicine. Hence the extracts of medicinal plants are considered as important sources of new molecules that have shown promising results in treating gastritis^[27,28].

It is evident that the extract of Medicinal plants shows significant reduction in ulcer scores and index caused by the inducing agents, where as It is also proven that antioxidant potential of the medicinal plants also helps for exhibiting the antiulcer activity which is due to the presence of flavonoids, gums, tannins, Saponins and oleoresins in different parts of plants^[29, 30].

Such medicinal plants that have antiulcer and Gastro protective activity that are reported till now are listed below.(Table 2,3)

Summary

The present review has demonstrated the plants that have the efficacy to treat gastric ulcer that is caused due to different causative factors like H.Pylori, proton pump inhibitors, aspirin, indomethacin, alcohol etc. Many plants have been screened in both *invitro* and *invivo* conditions to check the efficacy of medicinal plants on gastric ulcer as an alternative for the available marketed medicines. Further research has to be carried out to separate the active Phyto chemical constituent that is responsible for the activity in order to valid the scientific and medicinal uses of plants.




Fig 1 Pathogenesis of peptic ulcer

Table 1 List of conventional drugs with adverse effects

S.No.	Drug	Category	Adverse Effects
01	Cimetidine	H ₂ antihistamines	Bradycardia, impotency ^[3]
02	Ranitidine	H ₂ antihistamines	Constipation, Dizziness ^[4, 5]
03	Famotidine	H ₂ antihistamines	Mood changes, Dry mouth, Head ache ^[6]
04	Roxatidine	H ₂ antihistamines	Constipation, visual disturbances, Fast heart rate, increased liver enzyme activity ^[7, 8]
05	Omeprazole	Proton pump inhibitors	Leucopenia, Hepatic dysfunction ^[9]
06	Lansoprazole	Proton pump inhibitors	Difficulty in breathing, seizures ^[10]
07	Rabeprazole	Proton pump inhibitors	Head ache, abdominal pain, Diarrhoea ^[11,12]
08	Esomeprazole	Proton pump inhibitors	Muscle cramps, Muscle weakness, Nausea ^[13]
09	Pirenzepine	Anticholinergics	Dry mouth, Blurred vision ^[14, 15]
10	Propantheline	Anticholinergics	Nervousness, Bloating, Decreased sense of taste ^[16]
11	Oxyphenonium	Anticholinergics	Urinary retention, abnormal heart rate ^[17]
12	Misoprostol	Prostaglandin analogue	Stomach cramps, Dehydration ^[18,19]
13	Sodium bicarbonate	Antacid (systemic)	Herat burn, Indigestion ^[20]
14	Sodium citrate	Antacid (systemic)	Muscle twitching, Shallow breathing, Weight gain ^[20]
15	Magnesium Hydroxide	Antacid (nonsystemic)	Tightness in chest, Slow reflexes, Loss of appetite ^[21]
16	Magnesium trisilicate	Antacid (nonsystemic)	Constipation , Diarrhoea ^[21, 22]
17	Aluminium hydroxide gel	Antacid (nonsystemic)	Constipation Loss of appetite (Adverse effects are very rare) ^[22]
18	Magaldrate	Antacid (nonsystemic)	Severe allergic reactions, tightness in chest, vomiting, tarry stools, Slow reflexes ^[23]
19	Sucralfate	Ulcer protective	Itching, Insomnia ^[23, 24]
20	Colloidalbismuthsubcitrate	Ulcer protective	Skin rashes, Trouble in breathing ^[24]
21	Amoxicillin	Anti-H-Pyloridrugs	Vaginal itching, stomach pain, hairy tongue ^[24]
22	Clarithromycin	Anti-H-Pyloridrugs	Insomnia, mild itching or rashes, Unpleasant taste ^[24, 25]
23	Metronidazole	Anti-H-Pyloridrugs	Skin rashes, Trouble in breathing ^[25]
24	Tinidazole	Anti-H-Pyloridrugs	Vaginal itching/discharge, bitter taste in mouth ^[25, 26]
25	Tetracycline	Anti-H-Pyloridrugs	Sores or swelling in rectal region, White patches on lips and inside the mouth, mild nausea, Swollen tongue, difficulty in swallowing ^[27]

Table 2 List of plants with gastro protective and other beneficial effects

Family of Plant	Plant Name	Part & Extract	Other beneficial effects	Reference
Acanthaceae	Acanthus ilicifolius	Leaf ^s	Asthma, Rheumatism.	30,31
Liliaceae	Aloe vera	Leaf ⁺	Anti-inflammatory, mucus stimulatory, antioxidant potential, anti-ulcer.	32
Combretaceae	Anogeissuslatifolia	Leaf ^{@,*}	Potent antioxidant activity.	33
Acanthaceae	Andrographispaniculata	Bark ^{@,*}	Antioxidantactivity	34
Convolvulaceae	Argyreiaspeciosa	Leaf ⁺	Nervous disorders, diabetes and ulcer	35,36
Leguminosae	3auhinia purpurea Linn	Leaf ^s	Anti-inflammatory agent	37
Cucurbitaceae	Benincasahispida	Fruits ^{#,s}	Used to treat Liver disorders, pyrexia, kidney problems, and nervous disorders.	38
Berberidaceae	Berberis vulgaris	Fruit, Seeds [@]	Antioxidant	39
Bursereaceae	Boswellia serrate	Bark ^{#, @}	Antioxidant activity, antisecretory activity	40,41
Apocynaceae	Calotropisprocera	Bark ^s	Purgative, ulcer and stomachache	41
Lecythidaceae	Careyaarborea	Leaf ⁺ and stem bark [*]	Antibacterialand free radical scavenging potential	42
Apiaceae	Centellaasiatica	Leaf ^s	Psychiatricdisorders, melena and kidney infections	43

Leguminosae	Denostigmamacrophyllum	Leaf ^c	Antioxidant	44
Vitaceae	Cissusquadranularis	Stem ^s	Significant reduction in ulcerative damage	45
Zingiberaceae	Curcuma xanthorrhiza	Leaf ^f	Antioxidant activity	46
Myrtaceae	Eugenia Jambolana	Leaf and seed	Anti-diabetic	47
Moraceae	Ficusarnottiana	Leaf ^f	Antioxidant activity	48,49
Moraceae	FicusDalhousiae	Root [*]	Hepato protective and cardiogenic	50
Asteraceae	Guierasenegalensis	Leaf ^f	Antioxidant activity, antiulcer	51,52
Fabaceae	Gynuraprocumbens	Leaf ^b	Cancer, inflammation, diabetes and viral infections	53
Fabaceae	Hymenaeastigonocarpa	Stem Bark [@]	Ulcerpains, Anti-inflammatory	54
Convolvulaceae	Ipomoea batatas	Whole plant [^]	Antioxidant	55,56
Rubiaceae	Ixorapavetta	Flower ⁺ , bark [*]	Anti-anaemic agent	57
Oleaceae	Jasminumsambac	Leaf ⁺	Inflammationand gastric lesions	58,59,60
Oleaceae	Jasminumgrandiflorum	Leaf ^f	Gastro protective	61

*indicates ethanolic extract, # indicates petroleum ether extract, @ indicates aqueous extract, \$ indicates methanolic extract, ^ indicates Hydro-ethanolic extract, + indicates leaf gel extract, - indicates butanol extract.

Table 3 List of plants with gastro protective and other beneficial effects

Family of Plant	Plant Name	Part & Extract	Other beneficial effects	Reference
Fabaceae	Abaremacochliarpos	Flower ⁺	Gastroprotective	62
Boraginaceae	Anchusastrigosa	Root [#]	Gastroprotective	63
Compositae	Aspilia Africana	Leaf [@]	Antirheumatic, Gastroprotective	64
Meliaceae	Azadirachta indica	Bark [@]	Antioxidant, analgesic, antiulcer	65
Fabaceae	Bauhinia variegata	Leaf [@] ; Bark ^{@,*}	Anti asthmatic, antiulcer	66
Cucurbitaceae	Benincasahispida	Seed ^{*,#}	Anti-pyretic, gastroprotective	67
Mackinlayaceae	Centellaasiatica	Leaf [*]	Antibacterial, antiulcer	68
Vitaceae	Cissussicyoides	Leaf ^s	Rheumatism, antiulcer	69
Apocynaceae	Cynanchumauriculatum	Root [*]	Antidote. Gastroprotective	70
Annonaceae	Enantiachlorantha	Bark [@]	Malaria, Gastroprotective	71
Cactus	Ficusindica	Leaf [*]	Antidiabetic, antiulcer	72
Euphorbiaceae	Jatrophaisabelli	Rhizome [*]	Gastroprotective	73
Calophyllaceae	Kielmeyeracoriacea	Roots [^]	Gastroprotective	74
Verbenaceae	Lippiasidoides	Leaf ^b	Antimicrobials, gastroprotective	75
Celastraceae	Maytenusilicifolia	Leaf [@]	Anticancer, gastroprotective	76
Rhizophoraceae	Rhizophoramangle	Bark [@]	Antioxidants, antiulcer	77
Lamiaceae	Salvia officinalis	Leaf ^{*,^}	Antispasmodic, Antiulcer	78
Solanaceae	Solanumnigrum	Aerial parts ^s	Antipyretic, antiulcer	79
Lamiaceae	Stachyslavandulifolia	Flower [@]	Anxiolytic, antiulcer	80
Loganiaceae	Strychnospseudoquina	Leaf ^s	Hypoglycemic effect, antiulcer	81
Apocynaceae	Tabernaemontanadivaricata	Flower ^s	Anthelmintic, antiulcer	82
Combretaceae	Terminaliaarjuna	Bark ^s	Heart diseases, Anti uclers,	83
Apocynaceae	Voacangaaficana	Fruit [*]	Anxiety, Gastroprotective	84

*indicates ethanolic extract, # indicates petroleum ether extract, @ indicates aqueous extract, \$ indicates methanolic extract, ^ indicates Hydro-ethanolic extract.

Acknowledgements

The authors thank Dr R Venkataswami, chairman and R. Sreenivas, vice chairman of Sri Venkateswara College of Pharmacy, Chittoor, and also we express our thanks to DST, New Delhi, India for their encouragement and one of the author express thanks to UGC, India for financial assistance.

References

- Saturno PJ, Palmer RH, Gascon JJ. Physician attitudes, self-estimated performance and actual compliance with locally peer-defined quality evaluation criteria. *Int J Qual Health Care.* 1999; 11:487-96.
- Gabriel SE, Jaakkimainen L, Bombardier CS. Risk for serious gastrointestinal complications related to the use of nonsteroidal anti-inflammatory drugs. A metaanalysis. *Ann Intern Med.* 1991; 115:787-96.
- Hansen JM, Hallas J, Lauritsen JM, Bytzer P. Nonsteroidal anti-inflammatory drugs and complications: a risk factor analysis for clinical decision-making. *Scand J Gastroenterol.* 1996; 31:126-30.
- Richy F, Bruye`re O, Ethgen O, Rabenda V, Bouvenot G, Audran M, *et al.* Time-dependent risk of gastrointestinal complications induced by NSAIDs use: a consensus statement using meta-analytic approach. *Ann Rheum Dis.* 2004; 63(7):759-66.
- Pettitt D, Goldstein JL, McGuire A, Schwartz JS, Burke T, Maniadas N. Overview of the arthritis cost consequence evaluation system (ACCES): a pharmacoeconomic model for celecoxib. *Rheumatology (Oxford)* 2000; 39(Suppl 2):33-42.
- MacDonald TM, Morant SV, Robinson GC, Shield MJ, McGilchrist MM, Muray FE, *et al.* Association of upper gastrointestinal toxicity of nonsteroidal anti-inflammatory drugs with continued exposure: cohort study. *BMJ.* 1997; 315:1333-7.
- Singh G. Recent considerations in nonsteroidal anti-inflammatory drug gastropathy. *Am J Med.* 1998; 105:31S-8S.
- Clinard F, Bardou M, Sgro C, Lefevre N, Raphael F, Paille F, *et al.* Non-steroidal anti-inflammatory and cytoprotective drug co-prescription in general practice. A general practitioner-based survey in France. *Eur J Clin Pharmacol.* 2001; 57:737-43.

9. Schnitzer TJ, Kong SX, Mavros PP, Straus WL, Watson DJ. Use of nonsteroidal anti-inflammatory drugs and gastroprotective agents before the advent of cyclooxygenase-2-selective inhibitors: analysis of a large United States claims database. *Clin Ther.* 2001; 23:1984-98.
10. Sturkenboom MC, Romano F, Simon G, Correa-Leite ML, Villa M, Nicolosi A, *et al.* The iatrogenic cost of NSAID therapy: a population study. *Arthritis Rheum* 2002; 47:132-40.
11. Spiegel BM, Targownik L, Dulai GS, Gralnek IM. The cost-effectiveness of cyclooxygenase-2 selective inhibitors in the management of chronic arthritis. *Ann Intern Med.* 2003; 138:795-806.
12. Larkai EN, Smith JL, Lidsky MD, Graham DY. Gastrointestinal mucosa and dyspeptic symptoms in arthritis patients during chronic nonsteroidal anti-inflammatory drug use. *Am J Gastroenterol.* 1987; 82:1153-8.
13. Lapane KL, Spooner JJ, Pettitt D. The effect of nonsteroidal anti-inflammatory drugs on the use of Gastroprotective medication in people with arthritis. *Am J Manag Care.* 2001; 7:402-8.
14. Bombardier C, Laine L, Reicin A, Shapiro D, Burgos-Vargas R, Davis B, *et al.* Comparison of upper gastrointestinal toxicity of rofecoxib and naproxen in patients with rheumatoid arthritis. VIGOR Study Group. *N Engl J Med.* 2002; 343:1520-8.
15. Silverstein FE, Faich G, Goldstein JL, Simon LS, Pincus T, Whelton A, *et al.* Gastrointestinal toxicity with celecoxib vs nonsteroidal anti-inflammatory drugs for osteoarthritis and rheumatoid arthritis: the CLASS study: a randomized controlled trial. Celecoxib Long-term Arthritis Safety Study. *JAMA.* 2000; 284:1247-55.
16. World Health Organization, Geneva, Volume 10, Number 2, 1996.
17. Wolfe MM, Lichtenstein DR, Singh G. Gastrointestinal toxicity of nonsteroidal anti-inflammatory drugs. *N Engl J Med.* 1999; 340:1888-99.
18. La Corte R, Caselli M, Castellino G, Bajocchi G, Trotta F. Prophylaxis and treatment of NSAID-induced gastrointestinal disorders. *Drug Saf.* 1999; 20:527-43.
19. van Dijk KN, ter Huurne K, de Vries CS, van den Berg PB, Brouwers JR, de Jong-van den Berg LT. Prescribing of gastroprotective drugs among elderly NSAID users in the Netherlands. *Pharm World Sci.* 2002; 24:100-3.
20. Belaiche J, Burette A, De Vos M, Louis E, Huybrechts M, Deltenre M. Belgian Study Group of NSAID-GI Complications. Observational survey of NSAID-related upper gastrointestinal adverse events in Belgium. *Acta Gastroenterol Belg.* 2002; 55:65-73.
21. Laine L. Approaches to nonsteroidal anti-inflammatory drug use in the high-risk patient. *Gastroenterology.* 2001; 120:594-606.
22. Moore RA, Phillips CJ. Cost of NSAID adverse effects to the UK National Health Service. *J Med Econ.* 1999; 2:45-55.
23. Solomon DH, Glynn RJ, Bohn R, Levin R, Avorn J. The hidden cost of nonselective nonsteroidal anti-inflammatory drugs in older patients. *J Rheumatol.* 2003; 30:792-8.
24. Wiklund I. Quality of life in arthritis patients using nonsteroidal anti-inflammatory drugs. *Can J Gastroenterol.* 1999; 13:129-33.
25. Cunningham LS, Kelsey JL. Epidemiology of musculoskeletal impairments and associated disability. *Am J Public Health.* 1984; 74:574-9.
26. Yoshikawa M, Yamaguchi S, Kunimi K, Matsuda H, Okuno Y, Tamahara J, Murakami N. Stomachic principles in ginger III. An anti-ulcer principle, 6-ginger sulfonic acid and three monoacyldigalactosylglycerols, ginger glycolipids A, B and C, from *Zingiberis Rhizoma* originating in Taiwan. *Chem Pharmaceut Bull.* 1994; 6:1226-30.
27. Srivastava KC. Aqueous extracts of onion, garlic and ginger inhibit platelet aggregation and alter arachidonic acid metabolism. *Biomed Biochem Acta.* 1984; 43:335-46.
28. Spiegel BM, Targownik L, Dulai GS, Gralnek IM. The cost-effectiveness of cyclooxygenase-2 selective inhibitors in the management of chronic arthritis. *Ann Intern Med.* 2003; 138:795-806.
29. Larkai EN, Smith JL, Lidsky MD, Graham DY. Gastrointestinal mucosa and dyspeptic symptoms in arthritis patients during chronic nonsteroidal anti-inflammatory drug use. *Am J Gastroenterol.* 1987; 82:1153-8.
30. Lapane KL, Spooner JJ, Pettitt D. The effect of nonsteroidal anti-inflammatory drugs on the use of Gastroprotective medication in people with arthritis. *Am J Manag Care.* 2001; 7:402-8.
31. Bombardier C, Laine L, Reicin A, Shapiro D, Burgos-Vargas R, Davis B, *et al.* Comparison of upper gastrointestinal toxicity of rofecoxib and naproxen in patients with rheumatoid arthritis. VIGOR Study Group. *N Engl J Med.* 2002; 343:1520-8.
32. Silverstein FE, Faich G, Goldstein JL, Simon LS, Pincus T, Whelton A, *et al.* Gastrointestinal toxicity with celecoxib vs nonsteroidal anti-inflammatory drugs for osteoarthritis and rheumatoid arthritis: the CLASS study: a randomized controlled trial. Celecoxib Long-term Arthritis Safety Study. *JAMA* 2000; 284:1247-55.
33. Dashputre NL, Naikwade NS. Evaluation of Anti-Ulcer Activity of Methanolic Extract of *Abutilon indicum* Linn Leaves in Experimental Rats. *International Journal of Pharmaceutical Sciences and Drug Research.* 2011; 3(2):97100.
34. Izzo A, Borrelli F. The Plant Kingdom as a Source of Anti-ulcer Remedies. *Phytother Res.* 2000; 14:581-591.
35. Kumar V., Andola H.C., Lohani H. and Chauhan N. (2011). Pharmacological Review on *Ocimum sanctum* Linnaeus: A Queen of herbs. *J of Pharm Res.* 4:366-368.
36. Mondal S., Bijay R. Miranda R. B., and Sushil C. M. (2009). The Science behind Sacredness of Tulsi (*Ocimum sanctum* LINN.). *Ind J of Physiol Pharmacol.* 53: 291-306.
37. Das SK, Vasudevan DM. Tulsi: The Indian holy power plant. *Natural Product Radiance.* 5:2006,279-83.
38. Prajapati ND, Purohit SS, Sharma AK, Kumar T. A Hand Book of Medicinal Plant, 1st Ed. Agrobios, India: 2003, p. 367.

39. Gupta SK, Prakash J, Srivastava S. Validation of traditional claim of *Tulsi*, *Ocimum sanctum* Linn. as a medicinal plant. *Indian J Exp Biol.* 40:2002, 765-773.
40. Singh S, Majumdar DK. Evaluation of the gastric antiulcer activity of fixed oil- *Ocimum sanctum* (Holy basil). *J Ethnopharmacol.* 65:1999,13-19.
41. Govind P, Madhuri S. Pharmacological activities of *Ocimum Sanctum* (tulsi): a review. *International Journal of Pharmaceutical Sciences Review and Research.* 2010; 5(1).
42. Anonymous. The Wealth of India, A Dictionary of Indian Rawmaterials. Vol. 7. New Delhi: Council of Scientific and Industrial Research. 1952. p. 429-37.
43. Nadkarni AK. *Indian Materia Medica.* Vol. 1. Mumbai: Popular Prakashan; 1976. P.1292-94.
44. Jamshid M, Prakash RN. The histopathologic effects of *Morus alba* leaf extract on the pancreas of diabetic rats. *Turk J Biol.* 2012; 36:211-216.
45. Ali HM, Ahmed KA, Abdulla MA, Ismail S, Noor SM. Evaluation of the anti-ulcer activities of *Morus alba* extracts in experimentally induced gastric ulcer in rats. *Biomed Res.* 2009; 20(1):35-39.
46. Mhaskar KS, Latta EB, Caius JS, Kirtikar and Basu. *Indian Medicinal Plants.* Vol. 3. Sri Satguru Publications; 2000. p.3185.
47. D. A. Lewis, W. N. Fields and G. P. Shaw. *Journal of Ethnopharmacology.* 65, 283 (1999).
48. J. A. Ojewole and C. O. Adewunmi. Methods and Findings in Experimental and Clinical Pharmacology. 25, 453 (2003).
49. K. Krishnan and N. R. Vijayalakshmi. *Indian Journal of Medical Research.* 122, 540 (2005).
50. D. S. Jang, E. J. Park, Graham, F. Cabieses, B. D. Santarsiero, A. D. Mesezar, H. H. Fong, R. G. Mehta, J. M. Pezzuto and A. D. Kinghorn. *Journal of Agricultural and Food Chemistry.* 50, 6330 (2002).
51. S. Vijaykumar, G. Presannakumar and N. R. Vijayalakshmi. *Fitoterapia.* 79, 279 (2008). 18.
52. D. A. Lewis and G. P. Shaw. *The Journal of Nutritional Biochemistry.* 12, 95 (2001).
53. D. L. Jain, A. M. Baheti, S. R. Parakh, S. P. Ingale and P. L. Ingale. *Pharmacognosy Magazine.* 3, 116 (2007).
54. Lakshmi BVS, Mrityunjaya BP, Neelapu N, Muvvala S. Antiulcer Activity and HPTLC Analysis of *Mangifera indica* L. Leaves. *International Journal of Pharmaceutical and Phytopharmacological Research.* 2012; 1(4):146-155.
55. Carvalho AC, Guedes MM, De Souza AL, Trevisan MT, Lima AF, Santos FA, *et al.* Gastroprotective effect of mangiferin: Axanthone from *Mangifera indica*, against gastric injury induced by ethanol and indomethacin in rodents. *Planta Med.* 2007; 73:1372-6.
56. Ghosh AK, Mullick HI, Banerjee J, Banerjee S. *Zingiber officinale*: a natural gold. *International Journal of Pharma and Bio Sciences.* 2011; 2(1).
57. Backon J. Ginger: Inhibition of thromboxane synthetase and stimulation of prostacyclin: Relevance for medicine and psychiatry. *Med Hypoth.* 1986; 20:271-8.
58. Yoshikawa M, Hatakeyama S, Taniguchi K, Matsuda H, Yamahara J. 6-Gingsulfonic acid, a new antiulcer principle and ginger glycolipids A, B and C, Three new monoacyldigalactosylglycerols, from *Zingiberis Rhizoma* originating in Taiwan. *Chem Pharmaceut Bull.* 1992; 40:2239-40.
59. Yamahara J, Hatakeyama S, Taniguchi K, Kawamura M, Yoshikawa M. Stomachic principles in ginger II pungent and antiulcer effects of low polar constituents isolated from ginger, the dried rhizome of *Zingiber officinale* Rosc. cultivated in Taiwan. The absolute stereostructure of a new diarylheptanoid Yakugaku Zasshi. *J Pharmaceut Soc Jap.* 1992; 112:645-55.
60. Yamahara J, Mochizuki M, Rong HQ, Matsuda H, Fujimura H. The antiulcer effect in rats of ginger constituents. *J Ethnopharmacol.* 1988; 23:299-304.
61. al-Yahya M A, Rafatullah S, Mossa J S, Ageel A M, Parmar N S, Tariq M. Gastroprotective activity of ginger (*Zingiber officinale* Rosc.) in albino rats. *Am J Chin med.* 1989; 17:51-6.
62. Silva Silene da Maria *et al.*, Abaremacochliacarpus: Gastroprotective and ulcer-healing activities, *Journal of Ethnopharmacology,* 2010; 132(1):134-142.
63. Disi Ahmad M, Tamimi O Salah, Abuereish Ghaleb M, Effects of *Anchusa trigosa* root aqueous extract on gastric ethanol-induced ulcer in laboratory animals, *Journal of Ethnopharmacology,* 1998; 60(3):189-198.
64. M.C. Ubaka, V.C. Ukwe, Investigation in to the anti-ulcer activity of the aqueous leaf extract of *Aspilia Africana* C.D. Adams, *Asian Journal of medical sciences,* 2010; 2(2):40-43.
65. Veitch GE, Beckmann E, Burke BJ, Boyer A, Maslen SL, Ley SV. Synthesis of azadirachtin: A long but successful journey. *Angew Chem Int Ed Engl,* 2007; 46: 7629-32.
66. The wealth of India. A Dictionary of Indian Raw Materials and Industrial Products. New Delhi: CSIR, 1998; 249-52.
67. Manish A Rachchh, Sunita M Jain, Gastroprotective effect of *Benincasa hispida* fruit extract, *Indian journal of pharmacology,* 2008; 40(6):129 -36.
68. M.A. Abdulla, F.H. AL-Bayaty, Anti-ulcer activity of *Centella asiatica* leaf extract against ethanol-induced gastric mucosal injury in rats. *Journal of medicinal plants research,* 2010; 4(3):1253-1259.
69. Ferreira Paula Mariana de *et al.*, Gastroprotective effect of *Cissampelos* (Vitaceae): Involvement of microcirculation, endogenous sulfhydryls and nitric oxide, *Journal of Ethnopharmacology,* 2008; 117: 170-174.
70. Shan Lei *et al.*, Gastroprotective effect of a traditional Chinese herbal drug "Baishouwu" on experimental gastric lesions in rats, *Journal of Ethnopharmacology,* 2006; 107:389-394.
71. Tan P.V., Nyasse B., Enow-Orock G.E., Wafu P., Forcha E.A. Prophylactic and healing properties of a new anti-ulcer compound from *Enantiachlorantha* in rats, *Phytomedicine,* 2000; 7(4):291-296.
72. Kulshreshtha Mayank, Goswami Mradul, Rao V. Chandana, Ashwlayan D. Vrish, Yadav Sachdev, Anti-Ulcerogenic Potential of *Ficus bengalensis* Leaf. Biochemical Parameter & Histopathological Study *Journal of Applied Pharmaceutical Science,* 2011; 1(2): 65-68.

73. Pertino Mariano, Schmeda-HirschmannGuillermo, Rodr'iguez A. Jaime, Theoduloz Cristina, Gastroprotective effect and cytotoxicity of terpenes from the Paraguayan crude drug "yaguarova" (*Jatrophaisabelli*), *Journal of Ethnopharmacology*, 2007; 111: 553–559.
74. Vania Ramos Sela, Evaluation of gastric anti-ulcer activity in hydro ethanolic extract from *Kielmeyeracoriacea*, Brazilian Archives of Biology and Technology, 2005; 48:1-7.
75. Monteiro Barros Vivina Maria *et al*, Topical anti-inflammatory, gastroprotective and antioxidant effects of the essential oil of *Lippiasidoides* Cham. Leaves, *Journal of Ethnopharmacology*, 2007; 111: 378–382.
76. Cipriani R. Thales *et al*, Acidic heteroxylans from medicinal plants and their anti-ulcer activity, *Carbohydrate Polymers*, 2008; 74(2):274-278.
77. L.M. Berenguer B., Quílez A. Sánchez,, López-Barreiro M., de Haro O., Gálvez J., Martín M.J., Protective and antioxidant effects of *Rhizophora mangle* L. against NSAID-induced gastric ulcers, *Journal of Ethnopharmacology*, 2006; 103(2):194-200.
78. Mayer Bárbara *et al*, Gastroprotective constituents of *Salvia officinalis* L. *Fitoterapia*, 2009; 80: 421–426.
79. JainuMallika, SrinivasuluChennam, Devi Shyamala, Antiulcerogenic and ulcer healing effects of *Solanumnigrum* (L.) on experimental ulcer models: Possible mechanism for the inhibition of acid formation, *Journal of Ethnopharmacology*, 2006; 104,(1-2):156-163.
80. NabavizadehFateme *et al*, Gastroprotective effects of *StachysLavandulifolia* extract on experimental gastric ulcer, *African Journal of Pharmacy and Pharmacology*, 2011; 5(2):155-159.
81. BonaminFlávia *et al*, Can a *Strychnos* species be used as antiulcer agent? Ulcer healing action from alkaloid fraction of *Strychnospseudoquina*St. Hil. (Loganiaceae), *Journal of Ethnopharmacology*, 2011; 138(1):47-52.
82. Ali Khan Mohammed Safwan, Gastroprotective Effect of *Tabernaemontanadivaricata* (Linn.) R.Br. Flower Methanolic Extract in Wistar Rats. *British Journal of Pharmaceutical Research*, 2011 ; (3): 88-98.
83. Devi Sundaresan Rethinam, Narayan Shoba, VaniGanapathy, DeviShyamalaSrinivasuluChennam, Gastroprotective effect of *Terminaliaarjuna* bark on diclofenac sodium induced gastric ulcer, *Chemico-Biological Interactions*, 2007; 167: 71–83.
84. Tan V Paul, Penlap B Veronique, NyasseBarthelemy, Nguemo D.B Joseph, Anti-ulcer actions of the bark methanol extract of *Voacangaaficana* in different experimental ulcer models in rats, *Journal of Ethnopharmacology*, 2000; 73(3):423-428.
